

PrepPDF

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.preppdf.com>

Reasonable study tool and effective study materials - PrepPDF

Exam : HP0-785

Title : NonStop Hardware Install, Maintain,
Upgrade

Vendors : HP

Version : DEMO

NO.1 Which SCF command enables automatic configuration and starting of disk drives?

- A.alter device \$zzsto, autoconfig on, autostart on
- B.alter config \$zzsto, autoconfig on, autostart on
- C.alter process \$zzsto, autoconfig on, autoconfig on, autostart on
- D.alter subsys \$zzsto, autoconfig on, autostart on

Correct:D

NO.2 Which components must be configured and started on the customer's TSM console for the

GCSC to dial-in?

- A.Carbon Copy and low level link
- B.Carbon Copy and RAS
- C.notification director and RAS
- D.notification director and Carbon Copy

Correct:B

NO.3 When installing a NonStop Kernel release, which document determines relevant IPMs?

- A.SPML document
- B.IPM README file list
- C.IPM installation document
- D.recommended IPM list

Correct:D

NO.4 Which devices are replaceable using the guided replacement toolkit? Select TWO.

- A.PMCU
- B.PWRCRU
- C.FESA
- D.CCSA
- E.SNDA

Correct:B E

NO.5 Which command adds the ATM subsystem manager?

- A.TACL> ATMASM/, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZKRN.#ZZATM, program \$system.system.ATMASM, startmode kernel/
- B.SCF add process \$ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel
- C.TACL> ATMASM/autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name

\$ZZATM,
program \$system.system.ATMASM, startmode kernel/
D.SCF add process \$ZZKRN.#ZZATM, autorestart 10, primarycpu 0, backupcpu 1,
hometerm \$ZHOME,
name \$ZZATM, program \$system.system.ATMASM, startmode kernel
Correct:D

NO.6 Which SCF command changes the speed of a TRSA from 4Mbps to 16Mbps?

- A.alter ADAPTER,T0153,speed 16
- B.alter PIF,T0153.0.A,speed 16
- C.alter ADAPTER,T0153,ringspeed 16
- D.alter PIF,T0153.0.A,ringspeed 16

Correct:D

NO.7 The SP tool has identified a faulty X fabric cable between enclosure 1 and enclosure 3.

Which

connector on the SEB in enclosure 1 is affected?

- A.1
- B.2
- C.3
- D.4

Correct:B

NO.8 Which SCF command adds and configures the SANMAN process?

- A.add process \$ZZWAN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- B.add process \$ZZKRN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- C.add process \$ZZFOX.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- D.add process \$ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,startmode system

Correct:B

NO.9 Which TSM tool locates TSM ALARM details?

- A.SP tool
- B.low level link
- C.inventory tool
- D.service connection

Correct:D

NO.10 What is used to configure MSP users?

- A.TSM service connection
- B.ADDUSER command
- C.TSM low level link
- D.SP tool

Correct:C

NO.11 Which SCF command adds a X.25 line to a SWAN concentrator?

- A.add line \$X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown
- B.add line \$ZZWAN.#X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown
- C.add device \$ZZWAN.#X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown
- D.add device \$X2501, iobject \$system.system.x25obj, cpu 0, altcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown

Correct:C

NO.12 Which SCF command assigns IP addresses to each path of a CLIP on a SWAN concentrator?

- A.add path \$SW03.1.A, IPADDRESS 192.168.5.100 add path \$SW03.1.B, IPADDRESS 192.168.5.101
- B.add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100 add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.7.100
- C.add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100 add path \$ZZWAN.#SW03.1.B,

IPADDRESS 192.168.5.101

D.add path \$SW03.1.A, IPADDRESS 192.168.5.100 add path \$SW03.1.B, IPADDRESS 192.168.7.100

Correct:B

NO.13 Which SCF command adds the FOX monitor process?

A.add process \$ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm

\$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

B.add process \$ZZWAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3,

hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

C.add process \$ZZLAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm

\$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

D.add process \$ZZKRN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm

\$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

Correct:D

NO.14 Which file must be edited with TCP/IP information when connecting a TSM workstation to a public LAN?

A.c:\zservice\tsm.ini

B.\$system.zservice.tsmini

C.c:\zsupport\tsm.ini

D.\$system.zsupport.tsmini

Correct:B

NO.15 Which SCF command makes a TRSA participate on the ring as a monitor?

A.alter PIF T2153.0.A,monitor on

B.alter ADAPTER T2153.0.A,monitor on

C.alter PIF T2153.0.A, activemonitor on

D.alter ADAPTER T2153.0.A, activemonitor on

Correct:C

NO.16 Which SCF command adds a ServerNet/FX adapter to the Y ring?

A.add adapter \$ZZFOX.#Y, location (1,1,53), clusternum 5

- B.add LBU \$ZZFOX.#Y, location (1,1,54), clusternum 5
 - C.add LBU \$ZZFOX.#Y, location (1,1,53), clusternum 5
 - D.add adapter \$ZZFOX.#Y, location (1,1,54), clusternum 5
- Correct:B

NO.17 Which SCF command changes the interval between loss of AC power and a power fail condition to 40 seconds?

- A.ALTER PROCESS \$ZZKRN, POWERFAIL_DELAY_TIME 40
 - B.ALTER PROCESS \$ZZKRN, SYSTEM_RIDE_THROUGH 40
 - C.ALTER SUBSYS \$ZZKRN, POWERFAIL_DELAY_TIME 40
 - D.ALTER SUBSYS \$ZZKRN, SYSTEM_RIDE_THROUGH 40
- Correct:C

NO.18 Which SCF command changes the node name to \MEXICO?

- A.alter process \$zexp,system_name \mexico
 - B.alter subsys \$zzkrn,system_name \mexico
 - C.alter process \$zzkrn, system_name \mexico
 - D.alter subsys \$zzwan, system_name \mexico
- Correct:B

NO.19 Which tool changes the system topology from Tetra 8 to Tetra 16?

- A.SP tool
 - B.TSM service connection
 - C.SCF alter topology
 - D.TSM low level link
- Correct:D

NO.20 Which SCF command changes the alternate name of a disk drive?

- A.rename disk \$data,label \$data5
 - B.alter disk \$data,altname \$data5
 - C.alter disk \$data,label \$data5
 - D.rename disk \$data,altname \$data5
- Correct:B